

```

import SwiftUI

enum AppSection: Hashable { case start, tafel, klassen, ablage, ideen,
einstellungen }

struct ContentView: View {
    @State private var selection: AppSection? = .start
    @State private var columnVisibility: NavigationSplitViewVisibility =
.all

    var body: some View {
        NavigationSplitView(columnVisibility: $columnVisibility) {
            List(selection: $selection) {
                Label("Start", systemImage:
"house").tag(AppSection.start)
                Label("TafelView", systemImage:
"rectangle.and.pencil.and.ellipsis").tag(AppSection.tafel)
                Label("Klassenlisten", systemImage:
"person.3").tag(AppSection.klassen)
                Label("Ablage", systemImage:
"tray").tag(AppSection.ablage)
                Label("Ideen", systemImage:
"lightbulb").tag(AppSection.ideen)
                Label("Einstellungen", systemImage:
"gear").tag(AppSection.einstellungen)
            }
            .navigationTitle("KlassenRegie")
        } detail: {
            detailView
        }
    }

    @ViewBuilder
    private var detailView: some View {
        switch selection {
            case .start: Text("Start/Dashboard")
            case .tafel: TafelView()
            case .klassen: Text("Klassenlisten")
            case .ablage: Text("Ablage")
            case .ideen: Text("Ideen")
            case .einstellungen: Text("Einstellungen")
            case .none: Text("Bitte auswählen")
        }
    }
}

#Preview {
    ContentView()
}

```